



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 613 P

TYPE OF ACCIDENT VAN/PEDESTRIAN CROSSING STREET

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle #1 was southbound on a 6-lane, 2-way street.

Vehicle #1 approached an intersection and stopped before making a right turn.

As Vehicle #1 started into the turn he realized a pedestrian was crossing westbound in the crosswalk.

Vehicle #1 was able to brake quickly and the front of Vehicle #1 nudged the pedestrian who remained standing at final rest.

B. PEDESTRIAN PROFILE							
Pedestrian Treatment/ (TO BE COMPLETED BY ZONE CENTER)				Injury ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	62	М	none	Not injure	d		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

C. VEHICLE PROFILE				
Class Based on Ve		Most Severe Damage ased on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Compact van	90/Dodge/Caravan	front	minor - cracked grill, scuffs, scratches.

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMP CRASHWORTHINESS D National Highway Traffic Safety Administration Indicate PSU No. 8 Case Number—Stratum North Final Roth personal on Root. Ped Path Walking > 0000 Δ


Scale: 1 centimeter = 2



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM





U.S. Department of Transportation National Highway Traffic Safety Administration PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\frac{\sum_{i=1}^{n} c_{i}}{c_{i}}$	7	Ca	ase Numi	per-Stratum 6 13 P
PEDESTRIAN ACCIDENT CO		LECTION Q'\\		SCALED DIAGRAM
relative to physical features	Surface Type	<u>6)71 mus</u>	* north	arrow placed on diagram
* documentation of all accident induced physical evidence including (if applicable):	Surface Condition	_Wet		measurements for all applicable
a) vehicle skid marks	Coefficient of Frict	ion <u>,70</u>	roadw	yays.
b) pedestrian contacts with ground or object	Grade (v/h) Measu	rement	* scaled	representations of the physical plant ing:
c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle.	a) at impact		cre	road/roadway delineation (e.g., osawalks, curbs/edge lines, lane arkings, medians, pavement markings,
f) final resting points (FRP) for pedestrian and vehicle	and final res		pa	rked vehicles, poles, signs, etc.) traffic controls (e.g., lights, signs)
* documentation of the physical plant: including:	Pedestrian Travel I	7-4	* scaled	I representations of the vehicle and trian at pre-impact, impact, and final
a) all road/roadway delineation (e.g., crosswalks, curbs/edge lines, lane: markings, medians; pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel	tenes		ased upon either: physical evidence, or
b) all traffic controls (e.g., lights, signs)			b)	reconstructed accident dynamics
Reference Point:No wid	ence avo	Reference line:	200	ne
ltem			Distance and Direction Distance and Direction from Reference Point from Reference L	
			_	
	;			

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
· · · · · · · · · · · · · · · · · · ·		

The second secon



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum




IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident



Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. _____SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0

9. ___SS18 ____ 0

10. SS19 _____ 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident E Sequenc Numbe	ce Vehicle	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u> </u>	15. <u> </u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase \geq 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase \geq 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the persent
2. Case Number - Stratum 6 1 3 P	Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	220_ pounds X .4536 =kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
centimeter. (999) Unknown inches X 2.54 = centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter.	(9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter.	(04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown
· · ·	

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (99) Extended, holding object Used hand(s) to: (briefcase, suitcase, etc.) (11) Vault corner of vehicle (10) Holding object (young child, (12) Vault onto vehicle grocery bag, etc.) in arm(s) (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle with the mile (98) Other (specify): bag, etc.) on shoulder(s) or head (98) Other (specify):_ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground 16. Pedestrian's Head Orientation (07) Right foot off the ground at Initial Impact (08) Both feet off the ground (1) To front (98) Other (specify): (2) To left (99) Unknown (3) To right (4) Up 20. Vehicle/Pedestrian's Interaction (5) Down (01) Carried by vehicle, wrapped position (8) Other (specify): (02) Carried by vehicle, slid to windshield (9) Unknown (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward 17. Pedestrian's Body (Chest) Orientation (06) Thrown forward and left of vehicle at Initial Impact (07) Thrown forward and right of vehicle (1) Facing vehicle (08) Knocked to pavement, forward (2) Facing away (09) Knocked to pavement, left of vehicle (3) Left side to vehicle (10) Knocked to pavement, right of vehicle (4) Right side to vehicle (11) Knocked to pavement, run over or (8) Other (specify): dragged by vehicle (9) Unknown (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	9
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	49	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	Q
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present		Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):	
 (7) Not reported (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 		27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	\Pi
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	60) al.
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	

į

	onal Accident Sampling System-Crashworthiness Date STOP - VARIABLES 30 THROUGH 37 A	System: Pedestrian Assessment Form Page
	STOP - VANIABLES 30 THROUGH 37 A	ARE COMPLETED BY THE ZONE CENTER
30.	Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the	34. 1st Medically Reported Cause of Death <u>O</u> O
	initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31.	Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
	Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify):
	Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	ARE ALL APPLICABLE MEDICAL RECORDS NO []	S INCLUDED WITH INITIAL SUBMISSION?
	UPDATE CANDIDATE?	NO YES []

PSU NUMBER CASE NUMBER YEAR

82	
6137	
1994	

PEDESTRIAN INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [ENTIRE FORM
- [] PAGE NUMBER (S) _____



lational Highway Traffic Safety Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT	SAMPLING SYST
1. Primary Sampling Unit Num	ber 83	OFFICIAL RECORDS	CRASH DATA STU
2. Case Number - Stratum	6 13 P	9. Police Reported Travel Speed	999
3. Vehicle Number	. 0 1	Code to the nearest kmph (NOTE: 00	00 means
VEHICLE IDENTI	FICATION	less than 0.5 kmph) (160)159.5 kmph and above (999)Unknown	
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit	<u> </u>
5. Vehicle Make (specify): Applicable collection NASS PCDS Data Collection Editing Manual.	in your , Coding and	Code posted or statutory speed limit in kmph (999) Unknown 35 mph x 1.6093 = kmph	
6. Vehicle Model (specify): Applicable codes are found in NASS PCDS Data Collection Editing Manual.	in your , Coding and	 11. Police Reported Alcohol Presence For (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver 	Driver 🖳
7. Body Type Note: Applicable codes may the back of this page.	be found on $\frac{20}{100}$	Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown	
8. Vehicle Identification Number 3845845384 Left justify; Slash zeros and No VIN—Code all zeros Unknown—Code all nines	11 12 13 14 15 18 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown	- Q
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown	\Q\) -

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- Large utility (includes Jeep Cherokee [83 and before], (15)Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover,
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- Van based school bus (≤ 4,500 kgs GVWR) (24)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28)Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41)Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- (45)Other light conventional truck type
- (48) Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58)Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8.850 kgs)
- Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67)Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82)Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms	18. Impact Speed 9.3 Nearest kmph
(610) 6,100 kilograms or more (999) Unknown 3 63 lbs x .4536 = 1,535 kgs	(NOTE: 000 means greater than .5 kmph) (160)159.5 kmph and above (999)Unknown
Source: 1990 1990 1990 1990 1990 1990 1990 199	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph
Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown	(9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA 21. Driver's Attention to Driving
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio (specify): (6) Sleeping or dozing while driving (8) Other (specify):
(4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown Orivate a start of the start	(9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position
STOP - VARIABLES 18 THROUGH 20	 (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position)
ARE COMPLETED BY THE ZONE CENTER	 (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event
	(97) Other (specify): (98) No driver present (99) Unknown

program order to diminos Di	Page 19 Pedestrian General Vehicle Form Page 19 Page 1
23. Critical Precrash Event	(83) Padalevaliet or ether
This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway (specify):
(01) Blow out or flat tire	
(02) Stalled engine	(84) Pedalcyclist or other nonmotorist approaching roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalovolist or other parameters
(specify):	(85) Pedalcyclist or other nonmotorist—unknown location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(Specify):
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(55) 5
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(99) Unknown
Other Motor Vehicle Encroaching Into Lane	105.5
(60) From adjacent lane (seems discoving)	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left lane line	(0) No driver present (1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(1) No avoidance maneuver (2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	2
(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action) (O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated and initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
· And	(9) Directional consequences unknown

		ENVIRO	ONME	NT	AL	DATA	
27	Relatio	on to Junction	\3	22	D -		0
27.		Ion-junction	2	33.	(1)	adway Surface Condition Dry	<u>6</u>
		nterchange area		l	(2)	Wet	
	A/ /-]	(3)	Snow and slush	
٠		nterchange Intersection		i	(4)	lce	
		ntersection ntersection-related		ł	(5)		
	(4) D	Prive, alley access related			(9)	Other (specify):	
	(5) O	ther non-interchange (specify):					_
	(6) Ū	Inknown type of non-interchange		24	T	er o o o o o o o o o o o o o o o o o o o	1
		Inknown if interchange		34.		ffic Control Device No traffic control(s)	
		-			(1)	Trafficway traffic control signal (not RR	,,
28	Traffic	way Flow	1			crossing)	
20.		ot physically divided (two way traffic)			Poo	sulators on Sahaal Zana Cir. (At a DD	
	(2) D	ivided trafficway - median strip without	:		Cro	ulatory or School Zone Sign (Not RR ssing)	•
	po	ositive barrier				Stop sign	
	(3) D	ivided trafficway - median strip with ositive barrier			(3)	Yield sign	
		ne way trafficway			(4)	School zone sign	
	(9) U	nknown			(5)	Other sign (specify):	
			1		(6)		
29	Numbe	er of Travel Lanes	10		(7)		
20.		ne	<u>V</u>		(8)	Miscellaneous/other controls including R controls (specify):	R
		wo				controls (specify).	
		hree			(9)	Unknown	
		our ve					0
	(6) Si			35.	Traf	ffic Control Device Functioning	9
		even or more			(0)	No traffic control	
	(9) Ui	nknown			(1)		
			1		(2) (9)	Functioning Unknown	
		ay Alignment			(9)	Ulknown	
	(1) St						9
		urve right urve left		36.		t Conditions	7
		nknown			(1) (2)	Daylight Dark	
					(3)		
24	0	B . (1)	1		(4)	Dawn	
	(1) Le	ay Profile ayel			(5)	Dusk	
		phill Grade (>2%)			(9)	Unknown	
	(3) Do	ownhill Grade (>2%)					4
		licrest		37.		ospheric Conditions)
	(5) Sa (9) Ur	ag nknown			(1)	No adverse atmospheric related driving	
	(0, 0.				(2)	conditions Rain	
					(3)	Sleet	
		ay Surface Type	\simeq 1		(4)	Snow	
	(1) Co (2) Bit	oncrete tuminous (asphalt)			(5)	Fog	
		ick or Block			(6) (7)	Rain and fog Sleet and fog	
	(4) SI	ag, gravel or stone	į			Other (e.g., smog, smoke, blowing sand	or
	(5) Di: (8) Ot	rt :her (specify):	ĺ			dust, etc.) (specify):	
	,u, Ut	niei (Specity):			(9)	Unknown	
	(9) Un	nknown					-
						•	
			1				



National Highway Traffic Safety <u>Administration</u>

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum



3. Vehicle Number

0 1

VEHICLE IDENTIFICATION

VIN 284 F K 45 381

Model Year

Vehicle Make (specify):

Vehicle Model (specify)

PEDESTRIAN FRONT CONTACT WORK

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm

cm cm

cm cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axies) from the ground:

PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	. VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening	· ·	cm
	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
	Top of Side View Mirror		cm
		,	0
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield		cm
	C _L to A-Pillar at Top of Windshield		cm
	C _L to Maximum Side View Mirror Protrusion		cm
		\	
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm

ORIGINAL SPECIFICATIONS

Wheelbase	7190	inches	x	2.54	=	<u>384</u> cm
Overall Length		inches	x	2.54	=	cm
Maximum Width		inches	X	2.54	=	cm
Curb Weight		pounds	x	. 4536	=	, kg
Average Track	<u> </u>	inches	X	2.54	=	155cm
Front Overhang		inches	X	2.54	=	cm
Rear Overhang		inches	x	2.54	=	cm
Undeformed End Width		inches	x	2.54	=	cm
Engine Size: cyl./displ.		сс	x	.001	=	• L
		CID	x	.0164	=	L

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axes (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

									Kterior Verlicie F	71111	Page 5
				ΡΩI	2TN	OF PEDEST	RIAN CONTACT				
				ist c	INTA	CTS IN CH	RONOLOGICAL O	HDER			
	COI COI	MPOMENT. NTACTED	LONGETUDINAL LOCATION	LATER LOCATI		CENTIMETERS	SUSPECTED BODY REGION		TIME PHYSICAL CHIEBUCE	CONFIDENCE CONFIDENCE CONFIDENCE	POINT
C	1 7	00	80120	~4	0	Scuff	R Les	000	A	7) 2	3 9
मि		<u>~~~</u>	2395	-1=			0 14	+	ide facing		
F		OS	3295	-4-		Jem	10 Hap	1 Cry	ckey.	1) 2	3 9
a	4 2	02	3190		}	5	RSide	10	world m		3 9
िह	5 32		100	-43	_	5mmlye	-	114	icking men	1 (2)	3 9
	· 7-		75 -		0		10 ARM	Sma	- 001-14	1) 2.	3 9
	7 5		11 1 12	13		smy s	19 Home	Mil	ah Posttim	1 (2)	3 9
8	8 -	10	4 0 0	~3		Sman	16 Arm		de man	D 2	3 9
١		· -	32	3	2			<u> </u>	* 1	13 2	3 9
	10	30		1	0	<u>Smem</u>	BH and Fr		nolcho	$\sqrt{2}$	3 9
1	——————————————————————————————————————	<u> </u>	46			Show	Swul a	Age of		\bigcirc 2	3 9
K	1(7	r 0	60	11	CODE	FOR COMPON	ENTS CONTACTED	10.	Home grant	ω	
CDONT								•			
FRONT				743 744	A2 pi B pill:			Wheels 700			
700	Front bumper			745	C pills			790 791	Left front wheel/tire Right front wheel/tire		
701	Front Lower valan	ce/spoiler		748	D pills			792	Left rear wheel/tire		
702 703	Front grille Hood edge and/or	trim		748		pillar (specify):		793	Right rear wheel/tire	•	
704	Hood ornament (fi			749 750	•	side roof rail side door surface		798 799	Other wheel/tire (specify) Unknown wheel/tire	:	
705	Hood ornament (sp	oring loaded)		751	-	handle		700	CIRRIOWN WHEELING		
706 707	Headlight	-ha d (0-		752		side mirror fixed h	ousing	Underca	rriage components		
707	Retractable headli Turn signal/parking		en/Closed)	753 754		side folding mirror side glazing forwar	ed of D millow	800	Front crossmember		
718	Other front or add			755		side glazing rearwa		801 802	Steering assembly/Front : Oil pan	suspension	
719	(specify): Unknown front ob			756	Rear	antenna	•	803	Exhaust system pipe		
718	COKIOWN ITONE OD	lect		757 758		fender or quarter p right side object (s		804	Transmission		
Left Sid	e Components			759		wn right side com		805 806	Drive shaft Catalytic converter		
720	Frank for don 11								Muffler		
720 721	Front fender side : Front antenna	Burtace		Back Co	mponer	<u>its</u>		808	Floor pan		
722	A1 piller			780	Rear (back) bumper		809 810	Fuel tank Rear suspension		
723	A2 piller	•		761	Tailga	•		818	Other undercarriage comp	onent	
724 725	B pillar C pillar			782		back, vertical surfa			(specify):	-	
726	D piller			768 769		back component (s wn back componer		819	Unknown undercarriage c	omponent	
728	Other piller (specif	y):				···· occir compone	•	Accesso	ries		
729 730	Left side roof rail			Top Con	nponent	<u> </u>		820	Air scoop, deflector		
730 731	Left side door surf Door handle	ace		770	Heed .	surface		821	Cellular or CB radio anter	na	
732		ed housing		771			by underhood component	822 823	Emergency lights or bar Fog lights		
733	Left side folding m	irror		772	Front	fender top surface	-, volimpolitilt	824	Luggage, ski, or bike rack	Ĭ	
734 735	Left side glazing fo Left side glazing re	orward of B	piller Pailler	773	Cowl			825	Cargo (specify):		
736	Left side back fend			774 775		blade & mountings hield glazing		826	Spare tire		
737	Rear antenna	-	·	776	Front			827 828	Spetlight Other accessory (specify):		
738	Other left side obje			777	Roof s						
739	Unknown left side	component		778 779	Backing Rear h	ght glazing			pject or Vehicle in Environm		
Right Si	de Components		Ť	780	Hetchi			848	Other object in environme (specify):	nt	
740	Frank () 4			781	Rear t	runk lid		849	Unknown object in environ	nment	
740 741	Front fender side s Front antenna	urtace		788 780		top component (spe	ocify):	959	Unknown object on conta		
	A1 piller			789	UNKNO	wn top component	•	997	Noncontact injury source		
	•							999	Unknown injury source		

	VEHICLE DIMENSION	<u> </u>	44 115 - 4 140 - 41 - 420 - 43 - 45 - 45 - 45 - 45 - 45 - 45 - 45
1	Onining to Miles allege	1841	11. Hood Width Rear OpeningCode to the
┺.	. Original Wheelbase Code to the	$\frac{2}{2}$	nearest centimeter
	nearest centimeter		(210) 210 centimeters or more
	nearest centimeter (999) Unknown		(999) Unknown
			(000) Sindiotti
	M2 A		inches X 2.54 = centimeters
	<u> </u>	centimeters	COUNTRIES V 5:04 COUNTRIES
5		1 6 6	12. Hood/Fender Vertical/Lateral Crush From
5.	. Original Average Track Width	<u> </u>	Pedestrian Pedestrian
	Code to the		(0) Not damaged
	nearest centimeter		(1) Surface scratching only, no residual crush
	(185) 185 centimeters or more		(2) Minor crush (1-3 centimeters)
	(999) Unknown	•	(3) Moderate crush (4-7 centimeters)
	1 0 . O inches X 2.54 =		(4) Severe crush (>7 centimeters)
	inches X 2.54 =	centimeters	(8) Damage present, unknown if damage is
		•	from pedestrian impact
G		16.	(9) Unknown
ь.	Hood Material	<u> </u>	(a) Ouknown
	(1) Plastic		10 Mg - d-Li-14 Contact Domain
	(2) Fiberglass		13. Windshield Contact Damage From Pedestrian Contact
	(3) Steel		
	(4) Aluminum		(0) Not contacted by pedestrian
	(5) Stainless Steel		(1) Contacted by pedestrian - not damaged
	(8) Other (specify):	4	(2) Contacted by pedestrian - damaged
	(9) Unknown		(3) Unknown if contacted by pedestrian - not
<u> </u>		(1	damaged
7.	Hood Original		(4) Unknown if contacted by pedestrian -
	Equipment Manufacturer (OEM)		damaged
	(1) OEM factory installed hood		(9) Unknown if contacted by pedestrian -
	,	i	
	(2) OEM replacement		unknown if damaged
	(2) OEM replacement(3) Non-OEM replacement		unknown if damaged
	(2) OEM replacement		unknown if damaged
-	(2) OEM replacement(3) Non-OEM replacement(9) Unknown	300	unknown if damaged FRONT CONTACT DAMAGE
8.	(2) OEM replacement(3) Non-OEM replacement(9) UnknownHood Length	080	unknown if damaged
8.	(2) OEM replacement(3) Non-OEM replacement(9) UnknownHood LengthCode to the	080	FRONT CONTACT DAMAGE From: Vertical Measurements
8.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter	080	FRONT CONTACT DAMAGE From Vertical Measurements 14. Front Bumper Cover Material
8.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more	080	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
8.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter	080	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
8.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	080	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
8.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Centimeter	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening	centimeter	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the	Centimeter 146	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter	centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	centimeter	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter	centimeter	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Centimeter	Inknown if damaged FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	146	FRONT CONTACT DAMAGE Front Verice Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =	146	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	146	FRONT CONTACT DAMAGE Front Verice Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 =	146	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel (4) Other (specify): (9) Unknown
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = Hood Width Midway code to the nearest centimeter	146	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = Hood Width Midway Code to the	146	FRONT CONTACT DAMAGE FRONT Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel (4) Other (specify): (9) Unknown
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = Hood Width Midway code to the nearest centimeter	146	FRONT CONTACT DAMAGE Front Vortical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum All Jumin Bumper (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the	146	FRONT CONTACT DAMAGE Front Vortical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the	centimeters	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	centimeters	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
9.	(2) OEM replacement (3) Non-OEM replacement (9) Unknown Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	centimeters	FRONT CONTACT DAMAGE Front Vertical Messurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

__ __ . __ inches X 2.54 = __ _ centimeters

_ ___ . __ inches X 2.54 = ___ centimeters

A Charles

29.	. Centerline of Wheel	000	Side Lateral Measuremen	Hs.
	Code to the			· · · · · · · · · · · · · · · · · · ·
	nearest centimeter (000) No side contact		35. Centerline to A-Pillar	10.D
	(150) 150 centimeters or more		at Bottom of Windshield	<u></u>
	(999) Unknown		(000) No side contact	
			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		A = =	(250) 250 centimeters or more (999) Unknown	
30.	Top of Tire	000	(000) Challettii	
	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			<u>-</u>
	(000) No side contact (200) 200 centimeters or more		36. Centerline to A-Pillar	シン
	(999) Unknown		at Top of Windshield	ソデン
		ı	Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
		· _ ·	(000) No side contact (250) 250 centimeters or more	
31.	Top of Wheel Well Opening	ω_0	(999) Unknown	
-	Code to the	<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	nearest centimeter	!	inches X 2.54 =	centimeter
	(000) No side contact	!		~ ~ ~
	(250) 250 centimeters or more (999) Unknown	. 1	37. Centerline to Maximum Side	NOW.
	(acc) charactering	1	View Mirror Protrusion	<u></u>
	inches X 2.54 =	centimeters	Code to the	•
27	Bottom of A-Pillar at Windshield		nearest centimeter (000) No side contact	
JZ.	Code to the		(300) No side contact (300) 300 centimeters or more	
•	nearest centimeter		(999) Unknown	
	(000) No side contact			
	(250) 250 centimeters or more (999) Unknown		inches X 2.54 =	_ centimeter
	(999) Ulikhowii	1		
	inches X 2.54 =	centimeters	Side Wrap Distance Measuren	Rents
				>
33.	Top of A-Pillar at Windshield	$\bigcirc\bigcirc\bigcirc\bigcirc$	38. Ground to Side/Top Transition	3 00
	Code to the	\sim	Code to the	<u> </u>
	nearest centimeter		nearest centimeter	
((000) No side contact	j	(000) No side contact (400) 400 centimeters or more	
((300) 300 centimeters or more (999) Unknown		(999) Unknown	
. •	333) OHRHOWH	l		
-	inches X 2.54 =	centimeters	inches X 2.54 =	_ centimeters
34. 7	Top of Side View Mirror	1001	39. Ground to Hood Edge	SOU
	Code to the	~~~	Code to the	
	nearest centimeter		nearest centimeter	
t:	(000) No side contact		(000) No side contact (500) 500 centimeters or more	
. (300) 300 centimeters or more		(999) Unknown	
•	Joor Olikiloviii			
_	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
	•			· · · · · · · · · · · · · · · · · · ·
	•			

				Cystom: 1 odosum	THE PYTOLIOI A GILL	cie rorm	Page 9
40.	Ground to Centerline of H Code to the nearest centimeter (000) No side contact		0				X.
	(700) 700 centimeters or (999) Unknown			· · · · · ·			
41.	Ground to Head Contact Code to the nearest centimeter (000) No side contact	<u>0000</u>	<u> </u>				
	(800) 800 centimeters or (999) Unknown	more centimeters					•
					·		
						1	
						;	
						e ye	

P82-6/3P



f = 0,7 Pedbraced Vzbi, le moved forward 0,5m = 0,5 x 3, 281 = 1,6 ft.

 $V_{L} = \frac{\gamma(2)(1.6)(0.7)(32.2)}{= \sqrt{72}} = 8.5 + ps = 5.8 \text{ mph}$ = $\frac{9.3}{4} \times \frac{1}{4}$.

82613P00010012 947.041000000000113F72000

82613P00010021

7.04 000000006211805109514710011004143409021409600200000000100000000000

82613P01000041

7.04 000000009007442202B4FK4538LR

82613P01000051

PEDESTRIAN ASSESSMENT Occupant: 1

11

INTRA ERRORS

OHH0961 2 If POLICE SEVERITY PAS25 equals 2-4, then RECORDED

HH0962

U

PSU82

CASE 613P

ERROR SUMMARY SCREEN

PEDESTRIAN STUDY

CURRENT VERSION: 7.04

	NUMBER Dollar	 NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	 0	0	N
Pedestrian Assessment	0	0	1.	N
Pedestrian Injury	0	0	0	Y
Pedestrian General Vehicl	e 0	0	0	N
Pedestrian Exterior Vehic	le O	0	0	N
Total Inter Errors		0	0	
Total Case Errors	n	n	1	



National Highway Traffic Safety
Administration

SLIDE INDEX

4
NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary S	ampling Ui	nit Number	Case Number—Stratum 613P
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
1-3	11	S	Approach
4	77	N	Jook Back
5-	(Yed	M	Sphrod
11	(ed	E	Look Buck
B 38	11	Extern	Fundal w/ Centrals
3 9-31	11	texterns	Walk-around
:			
L			

HS Form 434B (1/94)

Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
<u> </u>			
			·
· · · · · · · · · · · · · · · · · · ·			
· · · · · ·			
110.11.11.11.11			

and the second of the second o

























PSU 82-613p (1994) #12 Best Available



PSU 82-613p (1994) # Best Available























PSU 82-613p (1994) #24 Best Available





t Available



130(1994)427







